

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A method for contact-specific management of managing two or more communications lines associated with a first user of a communications network, the method comprising:

receiving, from the first user over a data network, contact information indicative of a second user and line management information ~~regarding~~ related to two or more communications lines associated with an account for the first user;

~~determining that the received line management information includes a modification to at least one of the communications lines associated with the account;~~  
and

transmitting an instruction to a component of the communications network to implement ~~[[the]]~~ a modification to ~~[[the]]~~ at least one of the two or more communications ~~[[line]]~~ lines based on the contact information and the line management information.

2. (Original) The method of claim 1, wherein transmitting an instruction to a component of the communications network, comprises transmitting an instruction to a service control point.

3. (Original) The method of claim 2, wherein transmitting an instruction to the service control point comprises transmitting an instruction to a service provisioning and creation environment.

4. (Original) The method of claim 1, wherein transmitting an instruction to a component of the communications network, comprises transmitting an instruction to a switch.

5. (Currently amended) The method of claim ~~[[4]]~~ 1, wherein ~~modifying the communications line comprises modifying a table in the switch in accordance with the received instructions~~ the contact information comprises at least one of a contact name and a contact phone number.

6. (Currently amended) The method of claim ~~[[1]]~~ 5, wherein ~~receiving the line management information comprises receiving information regarding~~ instructions related to forwarding a call ~~calls originally directed to one of the two or more communications lines to a different communications line,~~ based on at least one of the contact name and the contact phone number.

7. (Currently amended) The method of claim 1, wherein ~~receiving the line management information comprises the receiving information regarding~~ instructions related to ~~handling calls originally directed to one of the two or more communications lines based on a user defined time schedule and~~ the time the call is received.

8. (Currently amended) The method of claim ~~[[1]]~~5, wherein ~~receiving the line~~ management information comprises ~~receiving information regarding~~ instructions related to forwarding calls originally directed to one of the two or more communications lines to one or more processors providing voice mail services, based on at least one of the contact name and the contact phone number.

9. (Currently amended) The method of claim 1, wherein receiving line management information comprises receiving information regarding forwarding calls originally directed to one of the two or more communications lines to one or more processors for playing an audible signal indicative of the communications line being unavailable.

10. (Currently amended) The method of claim 1, wherein receiving line management information comprises receiving information regarding three or more communications lines associated with the first user.

11. (Withdrawn) A method for managing one or more communications lines associated with a user of a communications network, the method comprising:

receiving from the user over a data network line management information regarding one or more communications lines associated with an account for the user;

receiving from the communications network information regarding a call received on at least one of the communications lines associated with the account;

determining handling of the call based on the received line management information; and

transmitting to the communications network an instruction regarding the handling of the call, such that the communications network handles the call in accordance with the received line management information.

12. (Withdrawn) The method of claim 11, wherein receiving from the communications network information regarding a call received on the communications line comprises receiving information from a service control point providing services to a switch associated with the communications line.

13. (Withdrawn) The method of claim 11, wherein receiving from the communications network information regarding a call received on the communications line includes receiving information identifying an origination of the call; and wherein determining handling of the call based on the received line management information includes determining the handling based on the information identifying the origination of the call.

14. (Withdrawn) The method of claim 11, wherein necessary line management information comprises receiving information regarding forwarding calls originally directed to one of the communications lines to a different communications line.

15. (Withdrawn) The method of claim 11, wherein line management information comprises receiving information regarding handling calls originally directed to one of the communications lines based on the time the call is received.

16. (Withdrawn) The method of claim 11, wherein receiving line management information comprises receiving information regarding forwarding calls originally directed to one of the communications lines to one or more processors providing voice mail services.

17. (Withdrawn) The method of claim 11, wherein receiving line management information comprises receiving information regarding forwarding calls for a particular communications line to a one or more processors for playing an audible signal indicative of a communications line being unavailable.

18. (Withdrawn) The method of claim 11, wherein receiving line management information comprises receiving information regarding two or more communications lines associated with the user.

19. (Currently amended) A system for contact-specific managing management of two or more communications lines associated with a first user of a communications network, comprising:

a first interface for connecting to a data network;

a second interface for connecting to the communications network; and

a set of one or more processors ~~capable of~~ configured to:

receiving-receive from [[a]] the first user, via the first interface, contact information indicative of a second user and line management information

~~regarding~~ related to two or more communications lines associated with an account for the first user,

~~determining that the received line management information includes one or more modifications to at least one of the communications lines associated with the user account, and~~

~~transmitting~~ transmit an instruction, via the second interface, to a component of the communications network to implement ~~[[the]]~~ a modification to at least one of the two or more ~~[[the]]~~ communications-line lines based on the contact information and the line management information.

20. (Original) The system of claim 19, further comprising a recent change engine for receiving the instruction from the set of processors and transmitting the instruction to a service control point.

21. (Original) The system of claim 20, wherein the service control point includes a service provisioning and creation environment and wherein the recent change engine is capable of transmitting the instruction to the service provisioning and creation environment of the service control point.

22. (Original) The system of claim 19, further comprising a recent change engine for receiving the instruction from the set of processors and transmitting the instruction to a switch.

23. (Original) The system of claim 22, wherein the switch includes a table and wherein the recent change engine is capable of modifying the table.

24. (Currently amended) The system of claim 19, wherein the line management information ~~from the user set of processors are capable of receiving~~ includes information regarding instructions related to forwarding calls originally directed to one of the two or more communications lines to a different communications line~~[[.]]~~ and the contact information comprises at least one of a contact name and a contact phone number.

25. (Currently amended) The system of claim ~~[[19]]~~24, wherein the line management information ~~from the set of processors are capable of receiving~~ includes information regarding handling calls originally directed to one of the two or more communications lines based on ~~[[the]]~~ a user defined time schedule and a time the call is received.

26. (Currently amended) The system of claim 19, wherein line management information ~~from the user set of processors are capable of receiving~~ includes ~~information regarding~~ comprises instructions related to forwarding calls originally directed to one of the two or more communications lines to one or more processors providing voice mail services.

27. (Currently amended) The system of claim 19, wherein the line management information ~~from the user set of processors are capable of receiving~~ includes

information regarding forwarding calls originally directed to one of the two or more communications line to one or more processors for playing an audible signal indicative of the communications line being unavailable.

28. (Currently amended) The system of claim 19, wherein the line management information from the user the set of processors are capable of receiving includes information regarding three or more communications lines associated with the first user.

29. (Withdrawn) A system for managing one or more communications lines associated with a user of a communications network, comprising:

- a first interface for connecting to a data network;
- a second interface for connecting to the communications network; and
- a set of one or more processors capable of receiving from the user, via the first interface, line management information regarding one or more communications lines associated with an account for the user, determining that the received line management information includes one or more modifications to at least one of the communications lines associated with the account, receiving from the communications network, via the second interface, information regarding a call received on at least one of the communications lines, determining handling of the call based on the received line management information, and transmitting, via the second interface, to the communications network instructions regarding the handling of the call.



30. (Withdrawn) The system of claim 29, further comprising a network access server for receiving information from a service control point providing services to a switch associated with the communications line, and transmitting the information to the set of processors.

31. (Withdrawn) The system of claim 29, wherein the set of processors are further capable of receiving from the communications network information identifying an origination of the call, and determining the handling of the call based on the information identifying the origination of the call.

32. (Withdrawn) The system of claim 29, wherein the line management information from the user the set of processors are capable of receiving includes information regarding forwarding calls originally defined for one of the communications lines to a different communications line.

33. (Withdrawn) The system of claim 29, wherein the line management information from the user the set of processors are capable of receiving includes information regarding handling calls originally defined for one of the communications line based on the time the call is received.

34. (Withdrawn) The system of claim 29, wherein the line management information from the user the set of processors are capable of receiving includes information

regarding forwarding calls originally defined for one of the communications line to one or more processors providing voice mail services.

35. (Withdrawn) The system of claim 29, wherein the line management information from the user the set of processors are capable of receiving includes information regarding forwarding calls originally defined for one of the communications line to a one or more processors for playing an audible signal indicative of the communications line being unavailable.

36. (Withdrawn) The system of claim 29, wherein the line management information from the user the set of processors are capable of receiving includes information regarding two or more communications lines associated with the user.

37. (Currently amended) A system for contact-specific managing management of two or more communications [[line]] lines associated with a first user of a communications network, the method comprising:

means for receiving from [[the]] a first device, contact information indicative of a second user and line management information~~regarding~~ related to two or more communications lines associated with an account for the first user;

~~means for determining whether the received line management information includes a modification to at least one of the communications lines associated with the account;~~ and

means for transmitting an instruction to a component of the communications network to implement ~~[[the]]~~ a modification to ~~[[the]]~~ at least one of the two or more communications ~~[[line]]~~ lines based on the contact information and the line management information.

38. (Original) The system of claim 37, wherein the means for transmitting an instruction to a component of the communications network, comprises means for transmitting an instruction to a service control point.

39. (Original) The system of claim 38, wherein the means for transmitting an instruction to the service control point comprises means for transmitting an instruction to a service provisioning and creation environment.

40. (Original) The system of claim 37, wherein the means for transmitting an instruction to the a component of the communications network, comprises means for transmitting an instruction to a switch.

41. (Currently amended) The system of claim ~~[[40]]~~37, wherein the ~~means for~~ transmitting an instruction to the switch comprises means for modifying a table in the switch in accordance with the received instructions contact information comprises at least one of a contact name and a contact phone number.

42. (Currently amended) The system of claim ~~[[37]]~~41, wherein the ~~means for receiving~~ line management information comprises ~~means for receiving information regarding~~ instructions related to forwarding a call calls originally directed to one of the two or more communications lines to a different communications line, based on at least one of the contact name and the contact phone number

43. (Currently amended) The system of claim 37, wherein the means for receiving line management information comprises means for receiving information regarding handling calls originally directed to one of the two or more communications lines based on a user defined time schedule and the time the call is received.

44. (Currently amended) The system of claim 37, wherein the means for receiving line management information comprises means for receiving information regarding forwarding calls originally directed to one of the two or more communications lines to one or more processors providing voice mail services.

45. (Currently amended) The system of claim 37, wherein the means for receiving line management information comprises means for receiving information regarding forwarding calls originally directed to one of the two or more communications lines to one or more processors for playing an audible signal indicative of the communications line being unavailable.

46. (Currently amended) The system of claim 37, wherein the means for receiving line management information comprises means for receiving information regarding three or more communications lines associated with the first user.

47. (Withdrawn) A system for managing one or more communications lines associated with a user of a communications network, the method comprising:

means for receiving from the user over a data network line management information regarding one or more communications lines associated with an account for the user;

means for receiving from the communications network information regarding a call received on at least one of the communications lines associated with the account;  
and

means for determining handling of the call based on the received line management information;

means for transmitting by the one or more processors to the communications network an instruction regarding the handling of the call, such that the communications network handles the call in accordance with the received line management information.

48. (Withdrawn) The system of claim 47, wherein the means for receiving from the communications network information regarding a call received on the communications line comprises means for receiving information from a service control point providing services to a switch associated with the communications line.

49. (Withdrawn) The system of claim 47, wherein the means for receiving from the communications network information regarding a call received on the communications line includes means for receiving information identifying an origination of the call; and wherein the means for determining handling of the call based on the received line management information includes means for determining the handling based on the information identifying the origination of the call.

50. (Withdrawn) The system of claim 47, wherein the means for receiving line management information comprises means for receiving information regarding forwarding calls originally directed to one of the communications lines to a different communications line.

51. (Withdrawn) The system of claim 47, wherein the means for receiving line management information comprises means for receiving information regarding handling calls originally directed to one of the communications lines based on the time the call is received.

52. (Withdrawn) The system of claim 47, wherein the means for receiving line management information comprises means for receiving information regarding forwarding calls originally directed to one of the communications lines to one or more processors providing voice mail services.

53. (Withdrawn) The system of claim 47, wherein the means for receiving line management information comprises means for receiving information regarding forwarding calls for a particular communications line to a one or more processors for playing an audible signal indicative of a communications line being unavailable.

54. (Withdrawn) The system of claim 47, wherein the means for receiving line management information comprises means for receiving information regarding two or more communications lines associated with the user.

55. (Withdrawn) A system for managing one or more communications lines associated with a user of a communications network, comprising:

a user device connected to a data network, the user device capable of transmitting information regarding handling of calls directed to a communications line associated with the user;

a storage for storing line management information regarding the communications line; and

a set of processors connected to the data network and the communications network, the set of processors capable of receiving, from the user device, the line management information regarding the communication line, storing the received line management information in the storage, and transmitting an instruction to a component of the communications network to implement the modification to the communication line;

wherein the component of the communications network is selected from the set of a switch for receiving calls directed to the communications line and a service control point associated with the switch.

56. (Withdrawn) A system for managing one or more communications lines associated with a user of a communications network, comprising:

a communications network, including:

a switch for receiving calls directed to a communications line associated with the user, and

a service control point associated with the switch;

a user device connected to a data network, the user device capable of transmitting information regarding handling of calls directed to a communications line associated with the user;

a storage for storing line management information regarding the communications line; and

a set of processors connected to the data network and the communications network, the set of processors capable of receiving, from the user device, the line management information regarding the communication line, storing the received line management information in the storage, receiving from the communications network information regarding a call directed to the communications line; determining handling of the call based on the stored line management information, and transmitting to the service control point an instruction regarding the determined handling of the call,



wherein the service control point directs the switch to handle the call in accordance with the determined handling.

57. (Currently amended) A method for contact-specific management of ~~managing one or more~~ communications lines associated with a first user of a communications network, the method comprising:

receiving from the first user over a data network, contact information indicative of a second user and line management information ~~regarding~~ related to one or more communications lines associated with an account for the first user;

~~determining that the received line management information includes a modification to at least one of the communications lines associated with the account;~~  
and

transmitting an instruction to a service control point of the communications network to implement ~~[[the]]~~ a modification to the ~~at least one~~ or more communications lines ~~[[line]]~~ based on the contact information and the line management information.

58. (Currently amended) A system for contact-specific management of ~~managing one or more~~ communications lines associated with a first user of a communications network, comprising:

a first interface for connecting to a data network;  
a second interface for connecting to the communications network; and  
a set of one or more processors ~~capable of~~ configured to:

~~receiving~~receive from ~~[[a]]~~ the first user, via the first interface, contact  
information indicative of a second user and line management information-  
regarding related to one or more communications lines associated with an  
account for the first user,

~~determining that the received line management information includes one~~  
~~or more modifications to at least one of the communications lines associated with~~  
~~the user account, and~~

~~transmitting~~transmit an instruction, via the second interface, to a service  
control point of the communications network to implement ~~[[the]]~~a modification to  
the one or more communications lines ~~[[line]]~~ based on the contact information  
and the line management information.

59. (Currently amended) A system for contact-specific management of ~~managing one~~  
or more communications line associated with a first user of a communications network,  
the method comprising:

means for receiving from ~~[[the]]~~a first device, contact information indicative of a  
second user and line management information ~~regarding~~ related to one or more  
communications lines associated with an account for the first user;

~~means for determining whether the received line management information~~  
~~includes a modification to at least one of the communications lines associated with the~~  
~~account; and~~

means for transmitting an instruction to a service control point of the  
communications network to implement ~~[[the]]~~a modification to the ~~at least one~~ or more

communications lines [[line]] based on the contact information and the line management  
information.